


INSTRUMENTS



SECRET MT/AT CABLE

DI-7221-6. 5/2-20

R/M 578 0.5	W/B 498 0.83	R/B 33 0.5	R/O 144 0.7
W/B 460 0.5	B/B 460 0.7	B/B 160 0.7	B/O 160 0.5
R/G 461 0.5	162 R 0.85	B/G 161 0.5	R/L 162 0.5
W/L 162 0.5	B/L 162 0.85	B/M 162 0.5	B/O 162 0.5
B/O 162 0.5	B/O 162 0.5	B/O 162 0.5	B/O 162 0.5

contact engine room CABLE3

CD-H597

29 0.5 L	302 0.5 F/N	150 3.0 R/L	4 3.0 R/G	307 1.15 L/R	300 1.25 L/W
127R/R 0.5	126R/R 0.5	155 3.0 V/R		104 0.5 L	310 0.5 L
402R/R 0.5	403R/R 0.5			41 0.5 R/W	452 0.5 R/L

INSTRUMENTS-3

AYP 01318774

462 R 0.5	461 R/G 0.5	460 W 0.3	459 W 0.5	458B W 0.5	457B R 0.5
463 R 0.5		458 0.5 B		457 R 0.5	456 R/W 0.5

INSTRUMENTS-A

Q-E009

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----	--

contact engine room CABLE:

C-3085

bDC 0.85 G/R		79D 0.5 L		B9 0.5 G	
		7B 7BA	B4 0.5 L/B	36S 0.3 W/W	B8 0.3 Y/Y
			4C 0.65 G/V		

contact floor CABLE2

CD-H374

702 Q5 Jr	701 Q5 Jr/L		24L R	10 Q5
74L 05 Br/A	742 03 B-V	112 Q5 Jr/L	6 005 W/6	7 005 B/V
732 05 BP/GP	73L 03 B-V		315 03 G/B	
75L 05 B/V	752 05 BP/G	35A 210 Br	13 003 G/L	5 05 V/L

connect to CABLE 1

CE-074

30 0.5 Y/L	8 0.6 O/G			20 0.8 Y/W	33 0.8 R/B
26 0.8 Y/R	18 2 B/G	24 0.8 B/G	21 0.8 G	93 1.5 Y/Y	514 0.5 W/L
70 0.5 R/W	32 0.3 O			22 0.8 R/Y	48 0.5 Y/G
163 1.25 L/R	60 0.8 G/R	34 0.5 W	162 0.5 B/Y	5 0.3 W/L	31 0.3 R/B

contact engine room CABLE4

0-E985

46 Q 5 V R	40E 0.5 W/B			47 0.5 T/B	
38L 0.5 5/Y	31L 0.5 6/Y	44 0.5 R/L	4L 0.5 0	63 0.5 2v/Gr	
22 0.5 6/L	75 0.5 L/R	15L 0.5 G/W		21.6 0.5 P/N	3 C
77 0.5 G/D	79 0.5 L	40D 0.5 A	404 0.5 B/R	25 0.5 L/O	


connect 22-bag CABLE

contact engine room CABLE2


180	182	185	188
085	1.5	05	01
0	2/V	3/V	4/V
1	2	3	4

9-5075

33 0.05 R/B			432 0.5 B/R	60 0. Br
9L L25 DL	90 0.5 L/Y		80 0.5 W	43 0.5 P
102 L25 I	109 L25 L/W		82 0.5 Y/B	99 0. W/I
304A L25 Gr/B	300 L25 L/Y	19L 0.85 L/R	76 0.5 L/B	85 0.5 P/Y



COMBINATION SWITCH 1 (GREEN) CD-H068




LAMP TAIL-L-UP CD-H011



LAMP TAIL-L-DOWN CD-H011



LICENSE PLATE LAMP CD-H043



LAMP TAIL-R-DOWN CD-H011



LAMP TAIL-R-UP CD-H011



FR DIRECTION INDICATOR CD-H013



LEFT COMBINATION LAMP CD-H012



FL TURN SIGNAL INDICATOR CD-H013



FR FOG LAMP CD-H013



RIGHT COMBINATION LAMP CD-H012




FR FOG LAMP CD-H013



EXTERIOR LAMPS

WIPE AND ELEBTRIC REAR VIEW MIRROR



REAR WIPER
CD-H055

8	30
0.85 O/G	0.85 Y/L
0.85 O	0.85 B

COMBINATION SWITCH2 (WHITE)
CD-H067

116 0.5 R/W	190 0.5 G/R		187 1.25 L/W	31B 1.25 D/L
184 1.25 Gr/B	182 1.25 Y	380 1.25 L/Y	186 1.25 Lg	31C 1.25 D/L

L REVERSING MIRROR
CD-H058

50D 0.85 B	24 0.85 B/G	29 0.85 L/Y
26 0.85 Y/R	24 0.85 B/G	21 0.85 G

FORNT WIPER
CD-H062

50AD 1.25 B	380 1.25 L/Y	182 1.25 Y
31 1.25 OL	183 1.25 L/W	

R REVERSING MIRROR
CD-H058

29 0.85 L/Y	50E 0.85 B
21 0.85 G	20 0.85 Y/W
	22 0.85 R/Y


REVERSING MIRROR SWITCH
CD-H078

		26 0.85 Y/R	22 0.85 R/Y	21 0.85 G	24 0.85 B/G	20 0.85 Y/W		101 0.85 B/Y	50M 0.85 B
--	--	-------------------	-------------------	-----------------	-------------------	-------------------	--	--------------------	------------------

REAR WIPER SWITCH
CD-H026

	44M 0.5 R/L		50N 0.85 B	
	30 0.85 Y/L	32 0.85 O	8A 0.85 D/G	191 0.85 G/R

AIR CONDITIONING AND AMUSEMENT SYSTEM^R



A/C ECU1
CD-H016

83 0.5 W/L	84 0.5 L/B	306 0.5 R/W				S02 0.5 R	S01 0.5 G	S03 0.5 B
85 2.5 Y	90 0.5 L/Y	88 0.5 Y/B	86 0.5 Y	80 0.5 W	76 0.5 G/B	310 0.5 L	77 0.5 G	78 0.5 Br

A/C ECU2
CD-H015 C2A

50 B	79 0.5 L			99 0.5 G/B	305 0.5 L/R	95 0.5 L/D
A50 B	A79 0.5 L		403A 0.5 R		89 0.5 G	71 0.5 R/B

CD-H080



CD PLAYER
CD-H083

S01 0.5 G	S02 0.5 R		A44 0.5 R/L			T01 0.5 Br/L	T02 0.5 Br	T41 0.5 Br	T42 Br/W
S03 0.5 B		400 0.5 L	163 0.85 L/R	B50 0.85 B	34C 1.25 W	T51 0.5 Br/G	T52 0.5 Br/B	T31 0.5 Br/Y	T32 0.5 Br/G

GOVERNOR MODULE
CD-H053

89	72
0.5	1.2
G	B/A
71A	50
1.25	1.2
B/B	B

COOLING AND HEATING ACTUATOR
CD-H063

50AB 0.5 B			74 0.5 L
82 0.5 W/B	81 0.5 P	80C 0.5 W	8 0 W


CD-H063
A/C MODE ACTUATOR

50AC 0.5 B			7 0 L
84 0.5 L/P	90 0.5 L/V	80A 0.5 W	8 0 F

AIR INTAKE ACTUATOR
CD-H063

50M 0.5 B			7 0 L
306 0.5 R/W	88 0.5 Y/B	80B 0.5 W	8 0

EXTERIOR TEMPERATURE SENSOR
CD-H082



EVAPORATOR TEMPERATURE SENSOR
CD-H089





INTERIOR TEMPERATURE SENSOR

CD-H014


77	78A	50V	79
0.5	0.5	0.5	0.5
G	Bc	B	L

CD-H095
A/C PRESSURE SWITCH







SRS and ABS system




SRS-ECU (Y)




C/S (Y)




PAB (Y)



automatic transmission



electric clutch and electric seat system



J-H066
clutch ECU

10 25 W		301 1.25 L/R	299 1.25 0
		67 0.85 L/G	302 0.5 Y/W

CD-H056
electric clutch 4WD-control

50C 1.25 L/W	302 0.5 Y/W
300 1.25 L/W	301 1.25 L/W

CD-H001
electric seat
CD-H004

67 0.5 L/G	50Z 0.5 B
------------------	-----------------

315B 2.0 Br	50J 2.0 B
-------------------	-----------------

skylight
CD-H022

1 135 0.85 L/W	3 50B 0.85 B	5 2 0.5 B/L
	55 0.5 Gr/L	163 0.5 L/R
	2	4 6

skylight switch
CD-H079

50A 0.5 B	55 0.5 Gr/L	163 0.5 L/R	2 0.5 B/L
5			1